

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	47923	(flush\$4 or serializ\$4) near5 (portion or section or entry or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 06:55
L7	600	(flush\$4 or serializ\$4) with vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 06:55
L8	125	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 06:55
L11	2467	710/52,55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/17 08:57
S1	5618	(translation near2 look\$aside near2 buffer) or TLB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:28
S2	1851	S1 and pipeline	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:28
S3	752	S2 and flush\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:01
S4	103	S3 and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:58

S5	591	711/169.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:47
S6	388	710/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:48
S7	0	S4 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:48
S8	1	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:48
S9	20	S2 and (flush\$5 with updat\$4 with context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:33
S10	8	S3 and (active near3 context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:27
S11	1797	711/205-209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:27
S12	732	S11 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:28
S13	6	S12 and pipeline and flush\$5 and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 15:44

S14	70	S12 and pipeline and flush\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 13:28
S15	2	("6510508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/04 15:44
S16	0	S15 and thread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 16:04
S17	1	S15 and \$5invalidat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 16:18
S18	1	S15 and \$5invalidat \$4 and updat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 16:25
S19	1	S15 and \$5invalidat \$4 and flush\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 16:45
S20	0	S15 and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:53
S21	1	S15 and (new near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 16:49
S22	2	("6510508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:55

S23	1	S22 and snoop\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 11:59
S24	1	S22 and snoop\$4 and (code or microcode or instrucion or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:18
S25	1	S22 and dynamic and DRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:23
S26	2	S22 and (program or application or context or (operating near2 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:23
S27	1	invalidat\$4 with entry with update with context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:37
S28	7	invalidat\$4 with entry with (updat \$4 or chang\$4 or alter\$4) with context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:40
S29	7	S28 and (flush\$4 or delet\$4 or remov \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:47
S30	2	S28 and (cleanup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:44
S31	7	S28 and (flush\$4 or delet\$4 or remov\$4 or clear\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:47

S32	2	("6510508").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 10:11
S33	1	S32 and (second near2 context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 10:12
S34	235	flush\$4 near5 (portion or section or entry) near5 (pipeline or TLB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 11:45
S35	119	flush\$4 near5 (portion or section or entry) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 11:52
S36	7	S35 with (invalida \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 11:53
S37	122	(flush\$4 or serializ \$4) near5 (portion or section or entry) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 12:06
S38	7	S37 with (invalida \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 12:06
S39	182	(flush\$4 or serializ \$4) near5 (portion or section or entry or block) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 12:06
S40	4867	(invalida\$4) near5 (portion or section or entry or block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 12:07

S41	26	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 12:07
S42	4	((("5230045") or ("5278964"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/24 10:02
S43	1	S42 and invalidat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:04
S44	210	(flush\$4 or serializ \$4) near5 (portion or section or entry or block) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 09:27
S45	2	("5230045").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 10:39
S46	0	S45 and pipeline	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:51
S47	1	S45 and (TLB or (translation near2 lookaside near2 buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:52
S48	2106	711/205-209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:39
S49	472	710/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:39

S50	210	(flush\$4 or serializ \$4) near5 (portion or section or entry or block) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:40
S51	7	S48 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:40
S52	1	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:40
S53	171	hash\$4 near4 (address near3 space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:56
S54	5	S53 with (TLB pipeline (translation near2 look\$aside near2 buffer) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:08
S55	12	hash\$4 with ASID with (TLB pipeline (translation near2 look\$aside near2 buffer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 19:56
S56	2	("5230045").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 22:48
S57	0	S56 and thread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 22:48
S58	0	S56 and context	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 22:58

S59	0	S56 and invalid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:04
S60	4448	(TLB (translation near2 look\$aside near2 buffer)) with (thread (id identifier address identity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:09
S61	65	(TLB (translation near2 look\$aside near2 buffer)) with (thread near3 (id identifier address identity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:22
S62	37	(TLB (translation near2 look\$aside near2 buffer)) with TID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:16
S63	30	S62 and (TID with thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 23:16
S64	43	(TLB (translation near2 look\$aside near2 buffer)) with TID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:01
S65	36	S64 and (TID with thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:01
S66	714	711/169.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:01
S67	497	710/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:01



S68	43	(TLB (translation near2 look\$aside near2 buffer)) with TID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:01
S69	73	(TLB (translation near2 look\$aside near2 buffer)) with (thread near3 (id identifier address identity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:01
S70	178	hash\$4 near4 (address near3 space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:02
S71	5	S70 with (TLB pipeline (translation near2 look\$aside near2 buffer) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:02
S72	230	(flush\$4 or serializ \$4) near5 (portion or section or entry or block) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:02
S73	0	S66 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:02
S74	0	S67 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 17:02
S75	258	(flush\$4 or serializ \$4) near5 (portion or section or entry or block) near5 (pipeline)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:22
S76	756	711/169.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:23

S77	536	710/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:23
S78	600	(flush\$4 or serializ \$4) with vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:23
S79	756	711/169.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:24
S80	2492	711/205-209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:24
S81	7	S75 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/16 22:25

2/17/09 9:38:27 AM

C:\Documents and Settings\NPatel4\My Documents\EAST\workspaces  
\10630286&10630287.wsp